

Contents

No. 1-2 1-344 issued April 1991
No. 3 345-506 issued May 1991

- Adachi T → Koga J 10
Akada R → Kihara K 383
Alahari SK → Rosenberg GH 305
Armarego WLF → Vasudevan SG 49
Atkinson HJ → Gurr SJ 361
Ausubel FM → Feinbaum RL 449
- Bain G, Tsang A: Disruption of the gene encoding the p34/31 polypeptides affects growth and development of *Dictyostelium discoideum* 59
Balakrishnan R → Rodrigues V 265
Baldacci G → Damagnez V 182
Barbé S → Henestrosa ARF de 506
Barber CE → Tang J-L 409
Beck K-F → Köttig H 310
Ben-Neria T, Ron EZ: A DNA replication gene maps near *terC* in *Escherichia coli* K12 315
Bennetzen JL → Hulbert SH 377
Benz R → Ludwig A 198
Beppu T → Nishiyama M 1
Bernard P, Couturier M: The 41 carboxy-terminal residues of the miniF plasmid CcdA protein are sufficient to antagonize the killer activity of the CcdB protein 297
Birkenbihl RP, Vielmetter W: Completion of the IS map in *E. coli*: IS186 positions on the *E. coli* K12 chromosome 318
Bogorad L → Steinmüller K 107
Bolland S → Llosa M 473
Boonchird C, Messenguy F, Dubois E: Characterization of the yeast *ARG5.6* gene: determination of the nucleotide sequence, analysis of the control region and of *ARG5.6* transcript 154
Boos W → Tommassen J 321
Bowles DJ → Gurr SJ 361
Bron S, Holsappel S, Venema G, Peeters BPH: Plasmid deletion formation between short direct repeats in *Bacillus subtilis* is stimulated by single-stranded rolling-circle replication intermediates 88
Brooks L → Guerinéau F 141
Bruckner H → Weiller G 233
Burnett JB → Friedman TB 81
- Calsou P, Salles B: Heat-inducible reactivation of UV-damaged bacteriophage λ 113
Chase T → Wisman E 120
Chen Q, Vierling E: Analysis of conserved domains identifies a unique structural feature of a chloroplast heat shock protein 425
Ciriacy M → Müller F 145
Cole ST → Tommassen J 321
Couturier M → Bernard P 297
Cove DJ → Schaefer D 418
Cruz F de la → Llosa M 473
- Damagnez V, Tillit J, Recondo A-M de, Baldacci G: The *POL1* gene from the fission yeast, *Schizosaccharomyces pombe*, shows conserved amino acid blocks specific for eukaryotic DNA polymerases alpha 182
Daniels MJ → Tang J-L 409
Dixon NE → Vasudevan SG 49
Dow JM → Tang J-L 409
Drolet M, Sasarman A: Cloning and nucleotide sequence of the *hemA* gene of *Agrobacterium radiobacter* 250
Drummond DR, Hennessey ES, Sparrow JC: Characterisation of missense mutations in the *Act88F* gene of *Drosophila melanogaster* 70
Dubois E → Boonchird C 154
- Eiglmeier K → Tommassen J 321
Ellersiek U → Steinmüller K 107
- Feinbaum RL, Storz G, Ausubel FM: High intensity and blue light regulated expression of chimeric chalcone synthase genes in transgenic *Arabidopsis thaliana* plants 449
Fleig UN, Nurse P: Expression of a dominant negative allele of *cdc2* prevents activation of the endogenous p34^{cdc2} kinase 432
Friedman TB, Owens KN, Burnett JB, Saura AO, Wallrath LL: The faint band/interband region 28C2 to 28C4-5(-) of the *Drosophila melanogaster* salivary gland polytene chromosomes is rich in transcripts 81
Friesen JD → Schappert K 277
Fu H-A, Iuchi S, Lin ECC: The requirement of ArcA and Fnr for peak expression of the *cyd* operon in *Escherichia coli* under microaerobic conditions 209
Fuerst TR → Knipple DC 241
Fukuzawa H → Suzuki E 401
- Ganesan AT → Sanjanwala B 467
Goebel W → Ludwig A 198
Graner A → Siedler H 177
Grill E, Somerville C: Construction and characterization of a yeast artificial chromosome library of *Arabidopsis* which is suitable for chromosome walking 484
Guerinéau F, Brooks L, Mullineaux P: Effect of deletions in the cauliflower mosaic virus polyadenylation sequence on the choice of the polyadenylation sites in tobacco protoplasts 141
Gurr SJ, McPherson MJ, Scollan C, Atkinson HJ, Bowles DJ: Gene expression in nematode-infected plant roots 361
Gustafsson P → Lidholm J 345
Györgypal Z, Kondorosi A: Homology of the ligand-binding regions of *Rhizobium* symbiotic regulatory protein NodD and vertebrate nuclear receptors 337
- Hatano Y: Molecular cloning and analysis of forked locus in *Drosophila ananassae* 17
Henestrosa ARF de, Barbé S: Expression of the *recA* genes *Escherichia coli* in several species of gram-negative bacterial strains 506
Hennessey ES → Drummond DR 70
Hermesen JGTh → Thompson RD 283
Hidaka H → Koga J 10
Hill PJ, Swift S, Stewart GSAB: PCR based gene engineering of the *Vibrio Harvey* lux operon and the *Escherichia coli* trp operon provides for biochemically functional native and fused gene products 41
Hirai K → Hishinuma F 97
Hirokawa H → Kobayashi H 65
Hishinuma F, Hirai K: Genome organization of the linear plasmid, pSKL, isolated from *Saccharomyces kluyveri* 97
Holsappel S → Bron S 88
Horinouchi S → Nishiyama M 1
Hulbert SH, Bennetzen JL: Recombination at the *Rp1* locus of maize 377
- Ishino Y → Iwasaki H 24
Isono K → Uemura Y 341
Isono S → Uemura Y 341
Iuchi S → Fu H-A 209
Iwasaki H, Ishino Y, Toh H, Nakata A, Shinagawa H: *Escherichia coli* DNA polymerase II is homologous to α -like DNA polymerases 24
- Jahreis K, Postma PW, Lengeler JW: Nucleotide sequence of the *ilvH-fruR* gene region of *Escherichia coli* K12 and *Salmonella typhimurium* LT2 332
Ji J, Mathews CK: Analysis of mutagenesis induced by a thermolabile T4 phage deoxycytidylate hydroxymethylase suggests localized deoxyribonucleotide pool imbalance 257
- Karlsson M-B, Pirhonen M, Saarihtä HT, Palva ET: Molecular cloning of *ompRS*, a regulatory locus controlling production of outer membrane proteins in *Erwinia carotovora* subsp. *carotovora* 353
Kast P → Spielmann-Ryser J 441
Katayama T, Nagata T: Initiation of chromosomal DNA replication which is stimulated without oversupply of DnaA protein in *Escherichia coli* 491
Käuffer NF → Rosenberg GH 305
Kaufmann H, Salamini F, Thompson RD: Sequence variability and gene structure at the self-incompatibility locus of *Solanum tuberosum* 457
Kaufmann H → Thompson RD 283
Kihara K, Nakamura M, Akada R, Yamashita I: Positive and negative elements upstream of the meiosis-specific

- glucoamylase gene in *Saccharomyces cerevisiae* 383
- Kitabayashi K → Kobayashi H 65
- Klug G: A DNA sequence upstream of the *puf* operon of *Rhodobacter capsulatus* is involved in its oxygen-dependent regulation and functions as a protein binding site 167
- Knight CD → Schaefer D 418
- Knipple DC, Fuerst TR, MacIntyre RJ: Molecular cloning and analysis of the chromosomal region 26A of *Drosophila melanogaster* 241
- Kobayashi H, Kitabayashi K, Matsumoto K, Hirokawa H: Primer protein of bacteriophage M2 exposes the RGD receptor site upon linking the first deoxynucleotide 65
- Koga J, Adachi T, Hidaka H: Molecular cloning of the gene for indolepyruvate decarboxylase from *Enterobacter cloacae* 10
- Kondorosi A → György Z 337
- Koornneef M → Wisman E 120
- Köttig H, Rottner G, Beck K-F, Schweizer M, Schweizer E: The pentafunctional *FAS1* genes of *Saccharomyces cerevisiae* and *Yarrowia lipolytica* are co-linear and considerably longer than previously estimated 310
- Kumagai I → Taguchi S 328
- Lamb CJ → Qun Zhu 289
- Larson TJ → Tommassen J 321
- Laufer W → Müller F 145
- Lengeler JW → Jahreis K 332
- Lidholm J, Szmidt A, Gustafsson P: Duplication of the *psbA* gene in the chloroplast genome of two *Pinus* species 345
- Lifshytz E → Wisman E 120
- Lilley PE → Vasudevan SG 49
- Lin ECC → Fu H-A 209
- Liu Y-N → Tang J-L 409
- Llosa M, Bolland S, Cruz F de la: Structural and functional analysis of the origin of conjugal transfer of the broad-host-range IncW plasmid R388 and comparison with the related IncN plasmid R46 473
- Ludwig A, Schmid A, Benz R, Goebel W: Mutations affecting pore formation by haemolysin from *Escherichia coli* 198
- MacIntyre RJ → Knipple DC 241
- Mathews CK → Ji J 257
- Matsumoto K → Kobayashi H 65
- Matthews DE → Miao VPW 214
- McPherson MJ → Gurr SJ 361
- Messenguy F → Boonchird C 154
- Messer W → Schaefer C 34
- Miao VPW, Matthews DE, VanEtten HD: Identification and chromosomal locations of a family of cytochrome P-450 genes for pisatin detoxification in the fungus *Nectria haematococca* 214
- Miura K → Taguchi S 328
- Miyachi S → Suzuki E 401
- Mizuno T → Tanaka K 367
- Momose H → Taguchi S 328
- Moser M → Spielmann-Ryser J 441
- Müller F, Laufer W, Pott U, Ciriacy M: Characterization of products of TY1-mediated reverse transcription in *Saccharomyces cerevisiae* 145
- Mullineaux P → Guerin F 141
- Muramatsu S → Tanaka K 367
- Nagata T → Katayama T 491
- Nakamura M → Kihara K 383
- Nakata A → Iwasaki H 24
- Nishiyama K → Taguchi S 328
- Nishiyama M, Horinouchi S, Beppu T: Characterization of an operon encoding succinyl-CoA synthetase and malate dehydrogenase from *Thermus flavus* AT-62 and its expression in *Escherichia coli* 1
- Nurse P → Fleig UN 432
- Overduin P → Tommassen J 321
- Owens KN → Friedman TB 81
- Palva ET → Karlsson M-B 353
- Peeters BPH → Bron S 88
- Pinto L → Rodrigues V 265
- Pirhonen M → Karlsson M-B 353
- Poole RK → Vasudevan SG 49
- Postma PW → Jahreis K 332
- Pott U → Müller F 145
- Pratje E → Weiller G 233
- Qun Zhu, Lamb CJ: Isolation and characterization of a rice gene encoding a basic chitinase 289
- Ramanna MS → Wisman E 120
- Recondo A-M de → Damagnez V 182
- Rodrigues V, Sathe S, Pinto L, Balakrishnan R, Siddiqi O: Closely linked lesions in a region of the X chromosome affect central and peripheral steps in gustatory processing in *Drosophila* 265
- Roggentin P → Rothe B 190
- Ron EZ → Ben-Neria T 315
- Rosenberg GH, Alahari SK, Käufer NF: *prp4* from *Schizosaccharomyces pombe*, a mutant deficient in pre-mRNA splicing isolated using genes containing artificial introns 305
- Rothe B, Rothe B, Roggentin P, Schauer R: The sialidase gene from *Clostridium septicum*: cloning, sequencing, expression in *Escherichia coli* and identification of conserved sequences in sialidases and other protein 190
- Rothe B → Rothe B 190
- Rottner G → Köttig H 310
- Saarihtä HT → Karlsson M-B 353
- Salamini F → Kaufmann H 457
- Salamini F → Thompson RD 283
- Salles B → Calsou P 113
- Sang Ho Kim → Weiller G 233
- Sanjanwala B, Ganesan AT: Genetic structure and domains of DNA polymerase III of *Bacillus subtilis* 467
- Sasman A → Drolet M 250
- Sathe S → Rodrigues V 265
- Saura AO → Friedman TB 81
- Schaefer C, Messer W: DnaA protein/DNA interaction. Modulation of the recognition sequence 34
- Schaefer D, Zryd J-P, Knight CD, Cove DJ: Stable transformation of the moss *Physcomitrella patens* 418
- Schappert K, Friesen JD: Genetic studies of the *PRP11* gene of *Saccharomyces cerevisiae* 277
- Schartl M → Winkler C 129
- Schauer R → Rothe B 190
- Schmid A → Ludwig A 198
- Schweizer E → Köttig H 310
- Schweizer M → Köttig H 310
- Schweyen RJ → Weiller G 233
- Scollan C → Gurr SJ 361
- Shaw DC → Vasudevan SG 49
- Shinagawa H → Iwasaki H 24
- Siddiqi O → Rodrigues V 265
- Siedler H, Graner A: Construction of physical maps of the *Hor1* locus of two barley cultivars by pulsed field gel electrophoresis 177
- Somerville C → Grill E 484
- Sparrow JC → Drummond DR 70
- Spielmann-Ryser J, Moser M, Kast P, Weber H: Factors determining the frequency of plasmid cointegrate formation mediated by insertion sequence IS3 from *Escherichia coli* 441
- Steinmüller K, Ellersiek U, Bogorad L: Deletion of the *psbG1* gene of the cyanobacterium *Synechocystis* sp. PCC6803 leads to the activation of the cryptic *psbG2* gene 107
- Stewart GSAB → Hill PJ 41
- Storz G → Feinbaum RL 449
- Surdin-Kerjan Y → Thomas D 224
- Suzuki E, Fukuzawa H, Miyachi S: Identification of a genomic region that complements a temperature-sensitive, high CO₂-requiring mutant of the cyanobacterium, *Synechococcus* sp. PCC7942 401
- Swift S → Hill PJ 41
- Szmidt A → Lidholm J 345
- Taguchi S, Nishiyama K, Kumagai I, Momose H, Miura K: Relationship between utilization of dual translational initiation signals and protein processing in *Streptomyces* 328
- Tanaka K, Muramatsu S, Yamada H, Mizuno T: Systematic characterization of curved DNA segments randomly cloned from *Escherichia coli* and their functional significance 367
- Tang J-L, Liu Y-N, Barber CE, Dow JM, Wootton JC, Daniels MJ: Genetic and molecular analysis of a cluster of *rpf* genes involved in positive regulation of synthesis of extracellular enzymes and polysaccharide in *Xanthomonas campestris* pathovar *campestris* 409
- Thomas D, Surdin-Kerjan Y: The synthesis of the two S-adenosyl-methionine synthetases is differently regulated in *Saccharomyces cerevisiae* 224
- Thompson RD, Uhrig H, Hermens JGTh, Salamini F, Kaufmann H: Investigation of a self-compatible mutation in *Solanum tuberosum* clones inhibiting S-allele activity in pollen differentially 283
- Thompson RD → Kaufmann H 457
- Tillit J → Damagnez V 182
- Toh H → Iwasaki H 24

- Tomassen J, Eiglmeier K, Cole ST, Overduin P, Larson TJ, Boos W: Characterization of two genes, *glpQ* and *ugpQ*, encoding blycerophosphoryl diester phosphodiesterase of *Escherichia coli* 321
 Tsang A → Bain G 59
- Uemura Y, Isono S, Isono K: Cloning, characterization, and physical location of the *rplY* gene which encodes ribosomal protein L25 in *Escherichia coli* K12 341
 Uhrig H → Thompson RD 283
- VanEtten HD → Miao VPW 214
 Vasudevan SG, Armarego WLF, Shaw DC, Lilley PE, Dixon NE, Poole RK: Isolation and nucleotide sequence of the *hmp* gene that encodes a haemoglobin-like protein in *Escherichia coli* K-12 49
 Vazquez J: Response to heat shock of gene 1, a *Drosophila melanogaster* small heat shock gene, is developmentally regulated 393
 Venema G → Bron S 88
 Vielkind JR → Winkler C 129
 Vielmetter W → Birkenbihl RP 318
 Vierling E → Chen Q 425
- Wallrath LL → Friedman TB 81
 Weber H → Spielmann-Ryser J 441
 Weiller GF, Bruckner H, Sang Ho Kim, Pratje E, Schweyen RJ: A GC cluster repeat is a hotspot for mit⁻ macro-deletions in yeast mitochondrial DNA 233
- Winkler C, Vielkind JR, Scharlt M: Transient expression of foreign DNA during embryonic and larval development of the medaka fish (*Oryzias latipes*) 129
 Wisman E, Koornneef M, Chase T, Lifshytz E, Ramanna MS, Zabel P: Genetic and molecular characterization of an *Adh-1* null mutant in tomato 120
 Wootton JC → Tang J-L 409
- Yamada H → Tanaka K 367
 Yamashita I → Kihara K 383
- Zabel P → Wisman E 120
 Zryd J-P → Schaefer D 418
- Indexed in *Current Contents*